HYDROBIOLOGIA
Volume 433, 15 August 2000

Special Issue
Chemistry and Ecology of Highly Acidic Environments

Guest Editors
Brian A. Whitton, Patrizia Albertano & Kenichi Satake

Introduction 1

Dynamics of planktonic food webs in three mining lakes across a pH gradient (pH 2–4)
Kathrin Wollmann, Rainer Deneke, Brigitte Nixdorf, Gabriele Packroff 3–14

Ecogeochemistry of the subsurface food web at pH 0–2.5 in Iron Mountain, California, U.S.A.
Eleanora I. Robbins, Teresa M. Rodgers, Charles N. Alpers, D. Kirk Nordstrom 15–23

Iron accumulation on the cell wall of the aquatic moss *Drepanocladus fluitans* in an acid lake at pH 3.4–3.8
Kenichi Satake 25–30

Ecophysiology of algae living in highly acidic environments
Wolfgang Gross 31–37

Effects of acidity on the growth of two *Euglena* species
M.M. Olaveson, C. Nalewajko 39–56

Mechanism of aluminium tolerance in *Cyanidium caldarium*
Etsuro Yoshimura, Seiji Nagasaka, Kenichi Satake, Satoshi Mori 57–60

Bacteria and Archaea in acidic environments and a key to morphological identification
Eleanora I. Robbins 61–89

Acidophilic and acid-tolerant fungi and yeasts
Sabine Gross, Eleanora I. Robbins 91–109

A review of diatoms found in highly acidic environments
Dean M. DeNicola 111–122

Phytoplankton of the extremely acidic mining lakes of Lusatia (Germany) with pH $\leq$3
Dieter Lessmann, Andrew Fyson, Brigitte Nixdorf 123–128

Angiosperms in acidic waters at pH 3 and below
Andrew Fyson 129–135

The taxonomic position of *Cyanidium*, *Cyanidioschyzon* and *Galdieria:* an update
P. Albertano, C. Ciniglia, G. Pinto, A. Pollio 137–143

Molecular variation in *Galdieria sulphuraria* (Galdieri) Merola and its bearing on taxonomy
Salvatore Cozzolino, Paolo Caputo, Olga De Castro, Aldo Moretti, Gabriele Pinto 145–151

A review on the occurrence and taxonomy of heterotrophic protists in extreme acidic environments of pH values ≤ 3
Gabriele Packroff, Stefan Woelfl 153–156

Protozooplankton in acidic mining lakes with special respect to ciliates
Gabriele Packroff 157–166

Review of rotifers and crustaceans in highly acidic environments of pH values ≤ 3
Rainer Deneke 167–172

Sampling, preservation and quantification of biological samples from highly acidic environments (pH ≤ 3)
Stefan Woelfl, Brian A. Whitton 173–180

Corixidae (Hemiptera, Heteroptera) in acidic mining lakes with pH ≤ 3 in Lusatia, Germany
Kathrin Wollmann 181–183

Author Index 185

Also available electronically via http://www.kluweronline.nl